

Figure 1




Figure 2

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337, 011398



Figure 3




Figure 4

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337, 011398




Figure 5




Figure 6

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337 011398




Figure 7




Figure 8

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337-011398

09006337 011398




Fig. 1 FTIR Spectra of Sol-Gel Bioglasses in SBF 24 Hours



Figure 9

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337, 011398

86ETD 2E90060




Fig. 11 FTIR Spectra of Sol-Gel Bioglass Made by Previous Method (A) and by Near-equilibrium Drying(B) in SBF at Various Times

PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337, 011398





Fig. 1 FTIR Spectra of Sol-Gel Bioglass Monolith in SBF 24 Hours


PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337 011398



PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337 "01.1398



PRINT OF DRAWINGS
AS ORIGINALLY FILED





Fig. 6 Si Release of Two Particle Size of 77S


PRINT OF DRAWINGS
AS ORIGINALLY FILED

09006337, 01.13.98

09006337 011398



PRINT OF DRAWINGS
AS ORIGINALLY FILED



09006337 011398

PRINT OF DRAWINGS
AS ORIGINALLY FILED




Fig. * Ion Release of 77S(B) in SBF

18

09006337, 011398

PRINT OF DRAWINGS
AS ORIGINALLY FILED




Fig. 8 Si Release of 77S(B) in SBF

20
14

09006337-011398

PRINT OF DRAWINGS
AS ORIGINALLY FILED